


Item Code : 5302

HADLEY 146mm C STUDS


Hadley C Studs are cold-rolled steel studs used as part of a Hadley System to create non-loadbearing internal partitions.

Manufactured in accordance with EN 14195:2005



Scan QR code for Hadley System **Golden Thread Documents: Technical Datasheet, Material Safety Datasheet, Declaration of Performance (DoP), O&M Manual and more...**

Product Information



REACTION TO FIRE:
A1

YIELD STRENGTH:
210 (N/mm²)

SERVICE CUT OUTS:
80mm x 30mm @ 600mm Centres

SYSTEM PERFORMANCE INFORMATION:
To be installed as a part of a complete Hadley system to achieve both Fire and Acoustic performance. To understand more about our fully warranted and tested solutions, please contact our Hadley Technical Support Team.

DRY-HAD-XX-ZZ-TE-X-105

Rev	Date	Comment	By	Chk	App
1.0	19/08/24	First Issue	FM	SH	JS
2.0	07/11/24	Second Issue	FM	SH	JS

Width	146mm
Flange	32mm/34mm
Gauge	0.5mm
Lengths	3.6m / 4.2m / 5m / 6m
Pack Quantities	10 / 100

STORAGE & HANDLING:

When installing Hadley components please ensure full PPE is used and the site is practicing a safe working environment alongside industry standards.

DISPOSAL:

Hadley Metal is fully recyclable.

SYSTEMS USED:

HadleySOLO – Single Stud System
 HadleyDUO – Twin Frame I Stud System (*used only at abutments)
 HadleyBRACE – Braced Twin Frame System
 HadleyHUSH – Single Stud System using Resilient Bars
 HadleySTAGGER – Staggered Stud System (*used only at abutments)
 HadleyLINE- Independent I Stud Lining System (*used only at abutments)