

Item Code : 6262A


HADLEY 92mm ACOUSTIC C STUDS

Hadley Acoustic C Studs are cold-rolled steel studs used as part of a Hadley System to create non-loadbearing internal partitions.


Manufactured in accordance with EN 14195:2005



Scan QR code for Hadley System **Golden Thread** Documents: Technical Datasheet, Material Safety Datasheet, Declaration of Performance (DoP), O&M Manual and more...



Product Information



REACTION TO FIRE:
A1

YIELD STRENGTH:
210 (N/mm²)

SERVICE CUT OUTS:
80mm x 30mm @ 600mm Centres

SYSTEM PERFORMANCE INFORMATION:
To be installed as a part of a complete Hadley system to achieve both Fire and Acoustic performance. To understand more about our fully warranted and tested solutions, please contact our Hadley Technical Support Team.

DRY-HAD-XX-ZZ-TE-X-112

Rev	Date	Comment	By	Chk	App
1.0	19/08/24	First Issue	FM	SH	JS
2.0	07/11/24	Second Issue	FM	SH	JS

Width	92mm
Flange	50mm/48mm
Gauge	0.5mm
Lengths	3.0m / 4.2m
Pack Quantities	10 / 50 / 200

STORAGE & HANDLING:

When installing Hadley components please ensure full PPE is used and the site is practicing a safe working environment alongside industry standards.

DISPOSAL:

Hadley Metal is fully recyclable.

SYSTEMS USED:

HadleySOLO – Single Stud System
 HadleyDUO – Twin Frame I Stud System (*used only at abutments)
 HadleyBRACE – Braced Twin Frame System
 HadleyHUSH – Single Stud System using Resilient Bars
 HadleySTAGGER – Staggered Stud System (*used only at abutments)
 HadleyLINE- Independent I Stud Lining System (*used only at abutments)